ADVIK	Safety Kaizen												P14				
	TPM CIRCLE NO :-		ACTIVITY	КК	QM	PI	HL N	SHE	ОТ	DM	E&T						
(K)	TPM CIRCLE NAME:		LOSS NO. / STEP			+			6			KAILEN	n ive	A SHEET			
	DEPT :- Maintenance		RESULT AREA	P	Q	A		C	D	S	M						
CELL:- A128-2 CELL NAME:- Tensioner			MACHINE / STAGE :- Crimping station OPERATION :- Crimp														
KAIZEN THEME :- Eliminate Unsafe condition			IDEA :- Near to the station														
Problem present status :- Probability of accident at the Crimping station.			COUNTERMEASURE :- Shifted the safety curtain near to the working area of the station.								BENCHMARK 1 no's						
											TARGET0 no'sKAIZEN START02 08 17						
											KAIZEN START 03.08.17 TDC 04.08.17						
											KAIZEN FINISH 03.08.17						
	Far from	Shifted near to								TEAM MEMBERS :- Kadambari, Venkata ratna ,Manjunath							
station the								BENEF									
		station							 Unsafe condition eliminated Operator fatigue reduced 								
Before			After								KAIZEN SUSTENANCE						
WHY - WHY ANALYSIS :-			RESULT :-								WHAT TO DO :- one time action						
	of accident at the Crimping										HOW TO DO :						
Why2 : -Chance of pr curtain	• •	2 <u>9</u> 0,							FREQUENCY :								
Why3:- Safety curtai	n far from the station																
ROOT CAUSE :- Far from the station.			unsafe safe									LABOUR C IN RS		TOTAL COST IN RS			
REGISTRATION NO. 8	working condition	vorking working						SCOPE & PLAN FOR HORIZONTAL DEPLO									
REGISTERED BY :- Kumar vadivel																	
MANAGER'S SIGN :- I	Dinesha m	_	Before			Af	ter			<u>o.</u> L		All assembly st		2 no completed			
												•		completed			